

Page 1/8



Property values are typical values. The data provided herein is for information purposes only. Each user of the material should perform their own tests to determine the suitability of the material for their particular application.

Page 2 / 8

	GUANG YI		ERIAL SCIENCE&TECHNOLOGY Fax: 0760-8889274	CO., LTD.	
			公学成分 l composition	-5	X
名称: Name:					
	ā树脂接着剂(55- oxy adhesive (55	-65%) -65%)) \	X	V
	Sxy addresive (33 序号	成分	重量百分比(%)	CAS 号	
	Number	Composition	Quality percentage (%)	CAS NO.	
		环氧树脂 Epoxy resin	47~37	25036-25-3	
	2	氢氧化铝 Aluminum Hydroxide	20~10	21645-51-2	
	3	二乙基次膦酸铝 Aluminum diethylphosphinate	10~5	225789-38-8	
	3	丁腈橡胶 Chemigum	38~28	9003-18-3	
	4	促进剂 Promoting Agents	6~3	461-58-5	
	5	碳黑 carbon black	10~5	1333-86-4	Sx
	亚胺膜 yimide film				
	序号	成分	重量百分比(%)	CAS 号	
	Number	Composition 聚酰亚胺膜	Quality percentage (%)	CAS NO.	
	1	Polyimide film	35~45%	25038-81-7	
		规定的禁用物质及卤素要求。 with RoHS and halogen f			

		Ŷ		
Issue Date: Apr in 20	(Var A)		Issue No.DYN	4SDS010
issue Date. Apr in 20		*********		1505010
東溢	」不不在机	材料科技有限		
DONG YI		54 Fax: 0760-888		
	4 利	急定性及反应性		2
	医低于 10℃的低温,湿度 70%			
	ole below 10°Cand relative 5低于 10°C,湿度 70%以下的			3 months.
Reactivity: No o	bvious reaction in refrige			ity lower
	n 70% conditions. 材料温度高于 125℃将会产生	公館・		V
	void: Material will deco		e is higher than 125°C	
	£免与氧化剂、强酸、强碱性化			• ,•
	id: oxidizing agent, strong -般生产条件下未有有害分解		ganic reagent, dust eli	mination
	position: None at normal		es.	
		77-		
		5 有害物质信息		
│ │急 毒 性:	N/A 5	Hazards Properties	14	
Acute Product Tox 眼睛 危害:	N/A	$\boldsymbol{\lambda}$		
Eye Irritation:	Not Available			
局 部过 敏:	N/A			Tx,
Skin Irritation:	Not Available			X
皮肤危害量:	N/A			
Dermal :	Not Available			
吸入危害量:	N/A Ingestion:			
7.54	Not Available			
食入危害量:	N/A			
Inhalation:	Not Available			
-				
1				
				$\mathbf{\nabla}$
SI'N				\mathcal{V}
XY.				
		A		
	N	*		
Duran autor 1	pical values. The data provided	Page $4/8$		1
roperty values are fvi	areal values. The data provided	nergin is for information nurr	oses only Each user of the i	naterial

Property values are typical values. The data provided herein is for information purposes only. Each user of should perform their own tests to determine the suitability of the material for their particular application.

1

Issue Date: Apr in 2024 (Ver.4)		Issue No.DYMSDS010
	兴车林业主士	· · · · · · · · · · · · · · · · · · ·
	益新材料科技有	
DONCYI GUANGDONG DONGYI Tel: 0760-	high-tech material science&tec 88892754 Fax: 0760-	88892744
74.		
	6 Warning	-71
概 要:	o warming	
Overview:		
	且无污染,故不会造成人身和环	境影响。一般使用、接触时无须特别注
意。		
	onal and environmental impact d	lue to no pollution and production of
volatile substances, Generally do no	-	-
眼 睛:无气味刺激眼睛,注意胶服		viien using, contact.
Eyes: Dust from trimming, drilling		e irritation or injury due to mechanical
action. 皮 肤:皮肤接触不会产生任何刺激	如和不活.	
Skin: Powder from trimming, drillin	g and milling operations may caus	e skin irritation.
食 入: 本产品一般无食入的 Ingesting: Not acutely toxic.	J能和危险。	
吸入: 本产品一般无吸入的	J能和危险。	
Ingesting: Dust may be irritating t	o the respiratory tract.	
致癌物质: Chronic/Carcinogenic:	7.4	
NTP: Not Tested OSHA: Not Regulated		
IARC: Not Listed	×	
医学制约:此产品无已知的健康		
Medical Restrictions: There are no	known human health effects aggr	avated to this product.
		· / ·
	7 急救措施	
	7.First Aid Measures	
眼睛: 立即使用大量清水冲洗至少	5 分钟,如果症状持续,立刻	寻求医疗帮助
		nutes. If symptoms persist, seek medical
help immediately	nounts of water for at least 15 mil	nutes. Il symptonis persist, seek medical
皮肤: 用肥皂和凉水清洗净皮肤上	的残留。	77-
Skin: Wash with soap and cold wate	er to prevent dust from entering sk	in pores.
食入: 本产品一般无食入的可能 Ingestion: Not probable	印危险。	
吸入: 如果吸入粉尘呼吸困难,		
Inhalation: Dust - if breathing become	s impaired, seek medical attentior	1.
X		



Page 6 / 8





Page 8 / 8